

LiPo Battery List – Jan 2009

<p>3Racing - L370025 LiPo - Cell 3700 mAh. 25C BRCA</p>		<p>Length: 138.0 mm. Width: 46.9 mm. High.: 21.3 mm. (Not inc. humps) Wt.: 211 gm.</p>
<p>Chargery - PS 5200-2S 5200 mAh 25C ROAR</p>		<p>Length: 137.5 mm. Width: 46.5 mm. High: 24.0 mm. Wt.: 270 gm.</p>
<p>CORE RC – CR034 3250mAhR -C ROAR</p>		<p>Length: Width: High.: (Not inc. wires) Wt.: (Includes wires)</p>
<p>Core-RC LiPo - 2S1P Cell 5000 mAh 25C BRCA - ROAR</p>		<p>Length: 136.9 mm. Width: 46.5 mm. High.: 23.6 mm. (Not inc. wires) Wt.: 279 gm. (Includes wires)</p>
<p>Demon Power Products LiPo - 2S1P Cell 3600 mAh. 25C BRCA</p>		<p>Length: 138.6 mm Width: 46.8 mm. (Not inc. wires) High.: 22.2 mm. (Not inc. humps) Wt.: 255 gm. (Includes wires)</p>
<p>Demon Products - DL3800 3800 mAh. 35C BRCA</p>		<p>Length: 137.2 mm Width: 46.2 mm. High.: 21.2 mm. (Not inc. humps) Wt.: 238 gm.</p>
<p>Demon Products - DL4000 4000 mAh. 30C BRCA</p>		<p>Length: 137.0 mm. Width: 44.8 mm. (Not inc. wires) High.: 23.1 mm. Wt.: 274 gm. (Includes wires)</p>
<p>Demon Products – DL5000 5000 mAh. 20C Wires have side exit only. BRCA</p>		<p>Length: 136.9 mm. Width: 45.1 mm. (Not inc. wires) High.: 23.0 mm. Wt.: 28 gm. (Includes wires)</p>
<p>Digity Designs - Ripstick DD-5300 5300 mAh. 28C ROAR</p>		<p>Length: 138 mm. Width: 46 mm. High.: 24 mm. Wt.: 275 gm.</p>
<p>Enertech 3400 – SEI3400 3400 mAh -C ROAR</p>		<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>H-Energy – RC-Li-Po-HE006 5200 mAh 25C ROAR</p>		<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>













LiPo Battery List – Jan 2009

<p>Harris RC3200 HRC3200. 20C ROAR</p>		<p>Length: 138.6 mm Width: 47.9 mm. High.: 23.5 mm. Wt.: 210 gm.</p>
<p>LOSI B9861 5000mAh 20C ROAR</p>		<p>Length: 137.2 mm Width: 43.2 mm. High.: 25.5 mm. Wt.: 275 gm.</p>
<p>LOSI B9862 4400 mAh 20C ROAR</p>		<p>Length: 138.6 mm Width: 47.9 mm. High.: 23.5 mm. Wt.: 210 gm.</p>
<p>LRP V-TECH - 79862 5300mAh 28C ROAR</p>		<p>Length: 137.5 mm Width: 46.5 mm. High: 23.5 mm. Wt.: gm.</p>
<p>NOSRAM - NR99969 5300mAh 28C SAME AS LRP 79862</p>		<p>Length: 137.5 mm Width: 46.5 mm. High.: 23.5 mm. Wt.: gm.</p>
<p>Orion - ORI14007 2400 mAh. 20C BRCA</p>		<p>Length: 137.6 mm. Width: 46.8 mm. High.: 21.1 mm. (Not inc. humps) Wt.: 148 gm.</p>
<p>Orion - ORI14001 3200 mAh. 20C BRCA</p>		<p>Length: 137.5 mm. Width: 46.5 mm. High.: 23.2 mm. (Not inc. humps) Wt.: 197 gm.</p>
<p>Orion - ORI14008 3400 mAh. 25C BRCA</p>		<p>Length: 137.5 mm. Width: 46.5 mm. High.: 23.2 mm. (Not inc. humps) Wt.: gm.</p>
<p>Orion - ORI14005 3600 mAh. 25C BRCA</p>		<p>Length: 137.7 mm. Width: 46.8 mm. High.: 23.2 mm. (Not inc. humps) Wt.: 228 gm.</p>
<p>Orion - ORI14009 3800 mAh. 30C BRCA</p>		<p>Length: 137.5 mm Width: 46.8 mm High.: 21.1 mm (Not inc. humps) Wt.: 228 gm</p>
<p>Orion - ORI14000 4800 mAh. 15C</p>		<p>Length: 136.9 mm Width: 45.1 mm. High: 23.1 mm. Wt.: 256 gm.</p>

LiPo Battery List – Jan 2009

<p>Orion - ORI14010 5000 mAh. 20C</p>		<p>Length: 136.8 mm. Width: 45.0 mm. High: 23.0 mm. Wt.: 257 gm</p>
<p>Reedy 5000 mAh. 20C BRCA</p>		<p>Length: 138.9 mm. Width: 46.0 mm. High.: 23.7 mm. (Not inc. wires or humps) Wt.: 295 gm. (Includes wires)</p>
<p>Ripmax LiPo - 2S1P Cell 3400 mAh. 20C.</p>		<p>Length: 137.7 mm. Width: 45.9 mm. High: 21.7 mm. (Not inc. humps) Wt.: 201 gm.</p>
<p>SMC 4000 mAh. 28C Wires have side exit only. BRCA</p>		<p>Length: 136.1 mm. Width: 46.5 mm. (Not inc. wires) High.: 20.4 mm. Wt.: 243 gm. (Includes wires)</p>
<p>Speed Passion 4000 mAh. 25C BRCA</p>		<p>Length: 137.2 mm. Width: 46.2 mm. High.: 21.0 mm. (Not inc. humps) Wt.: 233 gm</p>
<p>Team Checkpoint TCPC3640 SADDLE PACK 4800 mAh 20C ROAR</p>		<p>Length: 71 mm. Width: 47 mm. High: 30 mm. Wt.: 126 gm. EACH MODULE</p>
<p>Team Checkpoint TCPC3656 3600 mAh 30C ROAR</p>		<p>Length: 137 mm. Width: 16 mm. High.: 23 mm. Wt.: 193 gm.</p>
<p>Team Checkpoint TCPC3656 4900 mAh 25C ROAR</p>		<p>Length: 137 mm. Width: 16 mm. High.: 23 mm. Wt.: 268 gm.</p>
<p>Team Checkpoint TCPC3656 5400 mAh 16C ROAR</p>		<p>Length: 137 mm. Width: 46 mm. High.: 23 mm. Wt.: 253 gm.</p>
<p>Tekin 3400 mAh. 23C BRCA - ROAR</p>		<p>Length: 137.7 mm. Width: 45.9 mm. High.: 21.5 mm. (Not inc. humps) Wt.: 200 gm.</p>
<p>Thunder Power TP3300-2SXR 3300 mAh -C ROAR</p>		

LiPo Battery List – Jan 2009

Thunder Power TP3900-2SPR 3900 mAh -C ROAR		
Thunder Power TP5000-2SPR 5000 mAh 40C ROAR		
Thunder Power TP5000-2SPR30 5000 mAh 30C ROAR		
Thunder Power TP5100-2SXR 5100 mAh -C ROAR		
Thunder Power TP5100-2SSR 5100 mAh -C ROAR		
TrakPower - TP3002S 3200 mAh. 20C BRCA		Length: 137.5 mm. Width: 45.8 mm. High.: 20.8 mm. Wt.: 197 gm.
TrakPower - TP3002S(30) 3200 mAh. 30C BRCA		Length: 137.5 mm. Width: 45.8 mm. High.: 20.8 mm. Wt.: 197 gm.
TrakPower TP3200SSP LiPo - 2S1P Cell 3200 mAh. 20C ROAR		Length: 71 mm. Width: 47 mm. High: 22 mm. Wt.: 102 gm.* *EACH MODULE
TrakPower - TP36002S 3600 mAh. 30C BRCA		Length: 137.5 mm. Width: 45.6 mm. High.: 20.9 mm. Wt.: 213 gm.
TrakPower TP4800SSP LiPo - 2S1P Cell 4800 mAh. 20C ROAR		Length: 71 mm. Width: 47 mm. High: 30 mm. Wt.: 126 gm.* *EACH MODULE
TrakPower – TP49002S LiPo - 2S1P Cell 4900 mAh. 25C ROAR		Length: 137.3 mm. Width: 45.6 mm. High: 23.4 mm. Wt.: 267 gm.
TrakPower – TP54002S LiPo - 2S1P Cell 5400 mAh. 16C ROAR		Length: 137.3 mm. Width: 46 mm. High: 23.4 mm. Wt.: 268 gm.

LiPo Battery List – Jan 2009

<p>Trinity – TRI20550 3200 mAh. 35C ROAR</p>			<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>Trinity – TRI20620 3800 mAh. 25C ROAR</p>			<p>Length: 148.4 mm. Width: 46.8 mm. High: 23.4 mm. Wt.: 235 gm.</p>
<p>Trinity – TRI20807 3800 mAh. 35C ROAR</p>			<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>Trinity – TRI20551 4200 mAh. 30C ROAR</p>			<p>Length: 137.4 mm. (Not inc. wires) Width: 47.8 mm. High: 23.3 mm. Wt.: 235 gm (Includes wires)</p>
<p>Trinity - 4500 mAh. –C BRCA</p>			<p>Length: 137.4 mm. (Not inc. wires) Width: 47.0 mm. High: 23.7 mm. Wt.: 242 gm (Includes wires)</p>
<p>Trinity – TRI20552 4600 mAh. –C ROAR</p>			<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>Trinity – TRI20808 5000 mAh. 30C ROAR</p>			<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>Trinity – TRI20809 5000 mAh. 30C ROAR</p>			<p>Length: mm. Width: mm. High: mm. Wt.: gm.</p>
<p>Yungtong 5000 mAh. 20C Wires have side exit only. BRCA</p>			<p>Length: 136.9 mm. Width: 45.2 mm. (Not inc. wires) High.: 22.9 mm. Wt.: 282 gm. (Includes wires)</p>